


Dolomit Komani
Dolomite Komani



JOKIĆ KIMONT

DOLOMIT KOMANI / DOLOMITE KOMANI



KAMENOLOM

Mjesto na kojem počinje putovanje obrade kamena.

Posebno smo ponosni na naš materijal, čiju transformaciju pratimo od nastanka bloka do krajnjeg proizvoda. Kamen Komani, čiji se rudnik nalazi blizu Podgorice, posjeduje izuzetne karakteristike, koje ga čine pogodnim za razne namjene. Prirodni materijal kao neiscrpn izvor inspiracije, omogućava nam da uz primjenu savremene tehnologije odgovorimo na svakodnevne izazove tržišta.

THE QUARRY

The place where the whole process begins.

We are especially proud of our unique material, whose transformation we follow all the way from the block to the final product.. Quarry Komani is located near Podgorica. Thanks to its exceptional characteristics, this marble is suitable for various purposes. The combination of nature as an inspiration on one side and modern technology on the other, allows us to respond to the daily challenges of the market.



DOLOMIT KOMANI / DOLOMITE KOMANI

OBRAD / FINISHES

POLIRANO / POLISHED

Enterijeri / Interiors
Eksterijeri / Exteriors



ŠTOKOVANO / BUSHAMMERED

Eksterijeri / Exteriors



ANTIKA / ANTIQUE

Enterijeri / Interiors
Eksterijeri / Exteriors



PJESKARENO / SANDBLASTED

Enterijeri / Interiors
Eksterijeri / Exteriors



PALJENO / FLAMED

Eksterijeri / Exteriors



GRUBO ŠTOKOVANO /
COARSE BUSHAMMERED

Enterijeri / Interiors
Eksterijeri / Exteriors



ROTONDO SA KORINTSKIM STUBOVIMA
ROTONDO WITH CORINTHIAN COLUMNS

Obrada: pjeskareno / Finish: sandblasted





DOLOMIT KOMANI / DOLOMITE KOMANI

ZIDOVI ENTERIJERA /
INTERIOR WALLS

Obrada: pjeskareno /
Finish: sandblasted



DOLOMIT KOMANI / DOLOMITE KOMANI



FASADA PRIVATNE VILE / PRIVATE VILLA FACADE


Gornja fasada : paljena obrada / Upper facade : flamed finish

Donja fasada : prirodne kamene kore / Lower facade : rock face finish

DOLOMIT KOMANI / DOLOMITE KOMANI

RUKOHVAT STEPENIŠTA /
STAIR HANDRAIL

Obrada: paljeno /
Finish: flamed



FIZIČKO-MEHANIČKA SVOJSTVA / PHYSICO-MECHANICAL PROPERTIES



Čvrstoća na savijanje
Bending strength

10,06 MPa

Upijanje vode
Water absorption at atmospheric pressure

0,77 %

Zapreminska masa
Apparent volume mass

2752 kg/m3

Poroznost
Open porosity

1 %


Čvrstoća na pritisak
Compressive resistance

a) u suvom stanju / dry state
b) u vodom zasićenom stanju / water saturated

138 MPa
123 MPa

Čvrstoća na pritisak posle 25 ciklusa smrzavanja
Compressive and freezing resistance afeter 25 cycles

108 MPa



JOKIĆ KIMONT

Jokić Kimont d.o.o.
kamenolom Ljesevići Vranovići, 85318 Kotor
tel. + 382 69 534 217 tel. +382 69 534 520
e-mail: office@kimont.me web: www.kimont.me